## GOVERNO DO ESTADO DO CEARÁ SECRETARIA DOS RECURSOS HÍDRICOS - SRH

## PROJETO EXECUTIVO DE IRRIGAÇÃO DO AÇUDE PRAZERES

**PLANTAS** 

VBA CONSULTORES
ENGENHARIA DE SISTEMA HIDRÍCOS

FORTALEZA- CE FEVEREIRO 19988 GOVERNO DO ESTADO DO CEARA SECRETARIA DE RECURSOS HÚRRICOS — S R H

PROJETO EXECUTIVO DE IRRIGAÇÃO DO AÇUDE PRAZERES

PLANTAS





PEVENCED / 1



## TORO 111 - (LANTHS

LESTA DAG PLANTES

01/05 - Mapo de Eulos e Classes de Terro pavo Iuriquilo - Farendo Movo 23/85 - Mapo de Molos e Classes de Terro paro Irriosofio - Entre

CLICA - Clasta Garal - Bator Parenda Nova

08/05 - Planta Geral - Bator Cuncus

55/05 - Xusações de Bombemmento e Requess do Montagem dos Barrilg tes.







000	The same of the same of	ALL DESCRIPTION OF THE PERSON				l
	O STAND OF CHAIR				MARCO DO	COMES, TH
1000	ORCHWINGS ON MANUEL	1	1		16744670	
				(mage)	*******	1616
Н	Tide PVC com excepts rightes setalism \$3"	cope	122			
~	Tubo PVC com sequite edyton mythilico # 2"	1	8	П		
-	biccoole PX em selds then 6 2" x 2"	1	7	П	T	
-	Dazivação PVC com saída Ginea & 2" s. 2"	В	п	П	Ħ	
-	Designation DEscent author Shee # 2" x 2"	3	-		Ħ	Н
-	Pedacio PE con enume metilion 4 3" x 2"	9	1	П		П
~	CAP mecha con engine medicios d an	1	n		T	
×	Cep weeks one engage metalican & z"	12	92		Ħ	
0	Curre 45° con esgate mediton # 3"	7	~			
					500000	ca

	and the same of th	-				
	OCTOR: FAZINZA BOTA	DINES.	3 11			
8	(Conflict processed operate in taken of a commercial or operate (Conflict or operating or operat	-	7132262	n	19768	AGV.
		ſ		L	*********	ŀ
į	policemental and electrical	Month		********	Patrion.	74745
-	Tabo PN con engate metaltion \$ 3" (cande)	9				
~	Title PN con speaks sesking \$ 2" (cande)	100	10			
		I				
-	raida para peperson de 2 s 1º cende	1	22			
		I				
4	Table de sabide 17; conscionato 1.0s	1	22			
		I				
٠	Aspersor 50 Lichmentensiani p-2,462,55	I				
	Park, 5 stm, bornts 3,5 x 3,500	11	2			
	Cup tacks FIC 8 2" cards	3	-			
	Medicio de PIC com croado medidos \$1" x 2"	3	-			
1						
١						
н						

		SECON PARENTA NOVA	VIDE:	No.			
		ū	110				
MON	SCOREMIN OR RECURSOR ASSOCIATION OF CHANGE OF	PLANUE OF BELANDINGS OF CHANGE	L	PERTINE	13	se/odave	COMMATORS
1,100	DECEMBER DE REVISE		1	-		16 74 76 76	
					140,000	-	19494
-	800000						
1	Wilria de pi con crivo # 3"	6.3*	7	e	Ī		
2	Magnedir para megasica & 3"	13.	7	22	П		
	abençadelvagata marganica # 3"	-77	1	22		Ī	
3	Marqueira apivaffes en similar \$ 37	inites 8 3"		8	П	T	
2	Settable com roach # 3" a		1	8			
2	State duplo # 2"		7	8			
			П				
~	CONTRINO ELEPSOBORRA ROSELO CRIP OL SIRLIAR	ELO CHES ON STREET					
	CESTETTOSA, CON AS SEGUESTES CARACTERÍSTICAS	STIS CARCITICISTICS	T	Ī		1	
I,	SO POPED LIGHT, DE TRABALED.	100	T	Ī	Ī	l	ľ
J						600008	99



	COMMITTEEN		10000													
	MACOUNT NAMED / B.E.		440(14)													
	PARTIES		-									I	1			
	,	And the same		63	10	100	200	17	12		8	Ī	Ī			
PAZOEA 1978. EST	-	1		¥	1	3	10	8	3		1	Ī	Ī		П	ī
	VOVETRAL OF RECORDER SPINESS PLANTAL OF CHAMPINGS OF ERRORS WAS DO EXTLADOR OF CHAMPINGS PLANTAL OF CHAMPINGS OF ERRORS WAS DO EXTLADOR OF CHAMPINGS PLANTAL OF CHAMPINGS OF ERRORS WAS	DECEMBER on species	H	ACCIONATION A LINEAR A P. V. 75 NO.	Carrie 92º con roses # 3"	Lang com rosca & 3"	Maybador filter IR a conca d 3"	Davivação com saída Ginea 30. 8 3" a 3"	Investige matter as 8 st.		Curre Ma north line a boles soldfool or gry					
-		ě	Ŀ		9.0	3.0	37.76	100	7.15	200	0.10	J	l	ļ		J

ADDROSA PRINCIPAL DIRECTAL

	SPDSF ZAZBOA SORA	PAUDON SOU	oes.			
\$8	CONTINUE OF SECURITY OF SECU	2			100	VBA
8	BOOMSTO DE DESCRIPTO	-	name and		-	
				100,000	*******	lefen
3	Peter PAC Dis SO-LE's posts a bules d'Hamicasan	1	53		Ī	
75	26 PTC 26 60 con belong \$ 75 (cappil)	12	-			
2	May take 195 18 1 175 x 2 1.07 (carde)	12	~		Ī	
2	tidinto de lieba # 3" (tigge)	72	~		Ī	
10	Curva de decimação 4 2º islama	3	-			
3	Loon singles de PNC @ 2 1/2"	3	~			
18	Toco de cabo Mi Blu d Timas 1 - 6.4m	3	~			
ð	Ourse de 1915 39 <sup>2</sup> g 75.	8	~			
Ш						
Ш		İ	Ī	Ī	Ī	T
						1



		COMMITTORES		19741							I				
	1000	18/5/11	19101010	446644	T	Ī		T			Ī				1
	6 51/2	50		- Amiliano											
1	S Mil s	VAMILIES		Total Section	~	2	=			=	+	-			
20 7130	-	Ļ		1	9	ope,	1	1		72	1	9			
EXITORIA OURRANDO PROCESA	SECURI SACIONA SIGNA - COURS TO	COLUMN OF STORES APPLIANT PLANTA OF SECRETARION OF SEC		ODCHMINGS DOS MANGES	Take THE con engate classic medition & at	Tabe 740 ergate matalies \$2" caude	Faith para asperson in 2 s 1" cambo	Tabe do white It, consciousts Lift as	Appropriate to the Delivery of the party and	₩	-	Reducie de PVC con esquis matálico El" x 2º			
	Į	1631	I		-	-	-	-			-	-			J





The state of the s	age.	SECRETARIO (Q BOARDO PARCOS OLARA AL DECARRORIZO DE CREAS	-	PRATERIS	10	88700688	VBA COMES, TORES
The appropriate of the control of th	ı	20.00	ł			CORPS Tarks	
The control of the co	ě		l	XXX	person	*******	1000
The activity of the factor and the f							
An annual property of the prop	-	Chare de socienção e parrida direra Mill. mode-					
One fine is the control of the contr		to PDV, para motor de 7,5 CT, 2829	8				
One take a line of the control of th							
Over events uniques p(1), (2), (3), (3), (4), (4), (4), (4), (4), (4), (4), (4	-	Chara face do 105.	3	1			
On certain tributes (2), (5, 2a) and (2) and (	1						
THE WAY SECUL LIBER.  THE A CHARLES AND A CH	-	Oave entrels trifoculo o/7.5 Cf. 388	8	~			
The services from the services of the services	1						
The framework for the state of	1-	Tio Anti-cobre (des)		130			
The to denies (1900) is just \$1.25° and the colors of the							
Cons. to force primately at 19 cm. Libertoin parameter & 1	1-	Then de descride of curva e Lora de 3/4"	30	-			
date to terro presents do x 15 cm   31   Listerados persons do 1, 1   A   Listerados persons do 1, 1   A   Listerados persons do 1, 1   Listerados persons do 1, 1   Listerados persons de 1,							
Lieuroleo gergente de 1° a les veits, alpantalente a roldinte	-	Calas de forto p/osbutir 40 x 34 cm	×				
tierretes parparis do 1" a							
he wife algoralates a coldinar	'n	Rietrodato parganta de 1"		310			
New twift, of postable the collection and			I				
		New twift o/pontaletes o roldmer	1				
	1						
	ı						

	PARETREE NACOVIE CHROCIPAL	transmit contracts (2.5)				0	2		9				250000
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	75	-		8	8	26	93	12	2	Ш		Ц	
	Acceptable and	Medical		3	tre 6 3" at	10	4 2.4	7	3		O STATIST		

1.7 Streets pin his

VBA (control()	19/40			11					820000
92/cdans	Total Control					Щ	1		
Pazzidis	and and	1	3	3	n	1	-	9	
1	1	3	3	7.	3	1	3	8	
THE PROPERTY OF THE PARTY OF TH		1935) IS ALINE METRIC SOMMÉTICAL EL METRICOLO DE METRICOL	100/M (400)	Security do payers out crease \$ 1.132*	rache de reducie con resea d 3º a 1 1/3"	Ourse 50° con rows a dissistive and effort	"Hithia de reseable horizonkal con sonce 62"	Decivicies IR a subtit pies & 3" a 3"	
and the second					12	1	2	1	J





TRA COMMON COMMO	1	100			L												
MAN, (8.7	PARTY NA	Patents.															
,		-															
iterresi			~	25								-			Ī		
_			100	tribec		91	302		5	1	Ī	100	r	r	T	r	
- 102 - CE - 102 -	ODCHMINGS and wavegon		Tabl PVC com signie metálico d 3º(casde)	Tubo PVC espety metallico & 2" cende		Access 1474 SEPATION OF 2 v 1" CERSO	Table de proide 1", camprimento 1.0 m	Asperance medical St. Let 0=2,6m*/ htt Fa=2, hebm-	Moneto 5,0 × 5,5 am	Chp hacht PRC 8.2" cende		Radacio de DOC com expate metálica é 1"42"					
1	į		-	-	ŀ	Ţ	-	-		,		-				Ī	



	VB4 COMMUNIC	326											
	H/cdes	18 211 0,000											
		menter			Ī								
8	POAZZZEE	DIMETORIE			Ŧ	-	A	-	-	01	~		
p	Ļ	Mind		8	8	8		1	1	4	1		
WINITE STREET	Technique or ecologies (Alexan a representation or saws)	Dickersolds on standard		Once de proteção e patrida direta 195, mele- lo POS, nece actua de 7.5 CV. 2019	Chore face de 38a	Owne corrects totalogate p.7.5 Ct., 35a	Pia Med cobce (6mg)	Table de desertida e/custra a luzza de 2/4"	Caises de fazzo piosbatic 48 x 29 cm	Stetrodico quoquita de 3"	Now traff, e/pastalottes o rolfstrer		
	100	ŧ	L	H	1	^	4	"	*	-	-	L	U

		SETTING PRESENTA NOTES	AZZESTA.	MONA			
NO.	O GANGE OF SECURES SPECIES OF THE PROPERTY OF	PLINEAN DE DECAMENTAÇÃO DE OBRAS - POO-	-	STEERING SA	930	89/00KW 189	40A
ŧ	manage in grades		1	Magazes		000000	
			I	١	nerson.	*******	'mana'
-	00000						
ı							
7	Wilralls do pé com crisco & 3"	24.75	32	10			
J							
~	Mazzador rossivel pers nangusira 8 r-	a necessira e a-	96	20			
3	Abreceleira para manametra 8 3"	eire 2 3"	19	22			
-	MOGNALA MAZAZIEC OS RINGING # 3"	REMEMBER # 3"	•	11			
J			Ī				
-	Perfecie con rouce 6 3"	* 2.	1	10			
-	Sinie danie 6 3"		Total Contract of the Contract	00			
~	CONTRATO ELETRODEAN MODELO CIRCO DE STRULAS	SOUTH OF SERVICES					
	CENTRITOCA, CON AS SEQ	CENTRICIA, COM AS SEGUINTIA CARACTERÍSTICAS	Ī				
	90 NORTH DEBAL DE TANABLES	NAME.	П				
			ī				
J			Ī				ľ

1



CRAIR. MARKET STREET, INCHESSA.	MONTHS in security reason. A series of experience in case and the case of the	MARCON CON	11 Daniel Course September Steam	H	Markadar PN, Int. 10 a. 25 a. 2 LU2* dampted and a	Midense de Lixba d 3º trioner	Garra de dativaçõe à 2º cagnal ad 2	Morte standard de troc e a 1,124 ord a	Tree de una re doi a ra mer 1 - o.m.	Outro, de 1900 31 <sup>2</sup> 3 75 out			
	OF ENTRON BY WELL OF	itte Otchemagle		1 Takes PAY	2 Adeptable	3 Bidrence d	4 Cuesa do d	++	6 Tree do tu	2 Outro de P		1	







## MATERIAL TITLES

	Н			۲	П	2	_	2	Г	g	Г	31.	П	ş		5	Г	5	9	П
		١		New trif. c/poste/etem e soldmonn		Eleccodato gerganta de l'		Caixa de ferro p/escatic 45 x 55 cm		Table de deserida e/Sacra e ligro de 3/4"		Fig ages coken (Smg)	1	Chara estable trilippile p/7,5 CF, 348		Chare fact do 108		to POM, passa sector do 7,5 CV, 3869	Owne de percepio e percide direta Mil-	
				6		9		1		Ì	1	2550		Aceta		Ē.		ake a	20.00	П
						erger.		9/1	١			ŝ		1777		×		90354	ŝ.	ľ
				at an		40.00		29,280		2385		ř		1000				6	200	1
						'n		Ë		E	1			2				6	11/60	
				Ē			١	į.		1	1	1		2				Ę	dire	
				ř			ı	ï		į,	ı			TRE .				W	Ę	
		ı	1							ľ.	l								2. 20%	
	L	1	L	L	L	L	1	L	L	L	1	L	1	L	L	1	1	1	P	L
	Г	T	Τ	ž.	I	٠	l	S.	١	ř		ľ	L	ß.		ř	L	ě.		L
	٢	T	T	T	T	Į,	T	T.	Τ	I	T	į	Т	T	Ī	Ţ.	Τ	L	Τ	
	1	1	1	٢	١	ľ	١	ľ	ı	ľ	١	ľ	١	Γ		ſ	1	Γ	ı	1
	ŀ	t	t	t	t	t	t	Ť	t	t	t	Ť	T	T	T	Ť	T	T	T	Т
	١	۱	١			ı	ı	1	ı	١	ı	1		١		ı			1	١
	ŀ	+	+	+	t	t	t	+	t	+	+	t	t	t	t	t	Ť	t	Ť	Ť
	ı	1			1		١	1	١	١	1	١		ı		1	1	1	l	
			١		1		ı	ı	1	١		1						1	1	
5	1	+	t	+	+	t	t	†	Ť	1	T	Ť	t	Ť	Ť	T	Ť	Ť	Ť	T
200000		1		١	1	١	١	1	ı	1		١	1	1	1	١	1	1	ı	1
	1		۱	1	۱	ı													1	1
		_	_	_	_	_	-													





Signatura (S. C.		1-	1	=	Ξ	:	E	=	Н	-	Name of
	readou 2001/h, alesse manadericos de mesa 1958 - 6,244 Color: Telmon mesas con profes cia de 1,5 CV, acompache hase con reles	CONTRATA ALCONOMICA ADCIDE CONTRATA CON	miple deple # 2"	7.	10	ACCIDENTE MAIN MICEOLIA, # )"	Adaptador scatifet pera manganite # 1"	på con crive s	addo	percental see strongs	NAME OF CHARACTER OF
	:	П	5	2	3	s	2	2	I	Sept teat	STATES CHOCK
10 01 01 01 01 01 01 01 01 01 01 01 01 0	H	Ш	T	T		П	П			*******	1
C C C C C C C C C C C C C C C C C C C		Ш	I	I						- Carrier	H/Opens
n o o o o o o o o o o o o o o o o o o o	H									1000	TEA



TO PER PERS one boiles \$ 15 1G855 Cabo 1988) 8 75mm



				Charge Acc 6 S. (Crace)	Pa = 225 4001 20012 710 × 510m	Total de subida )", comprimento 1.dm	Colds para applicate de 2 x 1º (Cappel	Tube Fac esquise methlice & in (CASSE)		10781 1771 2 1272 1 1272
H	I		Ħ	£	8	I.	8.	17	1 1	\$ 12/2 (LU2)
I	T	П		93	s	u	15		2000 mm	N + 122/200
I	Ħ	Ħ	T	T	П		П		*	
I									MANCO 68	
000000									CHOUNTED TO	

The state of the s





About the distriction of delicities of delic	Ť.	Passes.		11/02/04
	ŀ			18 rate 6 teams
	1	200,000	200,000	******
socia	L			
all all a capto eee to be a la l	£	8		
	L			
The state of the later bearing and the state of the state	8.	62		
Authoridates para mangantes 8 3"	٤	92		
d Manageria Springerial on similar # 3"	10	83		
S Sydowiae out roppy \$ 3" x 2"	٤	63		Ī
			-	
4 Nigle dogle # 3"	ž.	01	Ī	
		Ī		
Contesta aletrobreha accalo CESS sa similar	Γ	Ī		
cectificat, one as segminese caracteristicas	T	Ī	İ	1
no perso ideal de sembalho:	Γ		İ	
En Mallh	Г			
and a 4-2m popul (dame) accor one publicate				
N .	٤	2	l	

	II III	II DO				
100	COSTINON OF GENERAL ACROSS ACTIVATION OF CHARACTER OF GENERAL PROPERTY OF CHARACTER	-	MANAGER	8	15A PO / 169	COMMUNICA
1	Commence on the commence of th	ě	3000,000	-	1000	19701
ľ						
Т	PEC STORY					
ı		8	e			
F	200 8					
1	201 1 p seed on 1 1/2"	y.	21			
F	2010 00 00000					
-	marche de redesido com present à la la 1 1/2"	8.	2			
				Ī		
Ξ	Ogras 60° com resea o disponiciono para esest-	Ι		1		
	71.1.7	1	1	1		
		T	I	Ī		
Ĕ.	válvela de retargão borismonal com resus 8 3º	8				
ı		ž.	2	Ī		
F	200	П				
ı	military a variable	ŝ.	69			
E	CONTRACTOR OF THE PARTY OF THE	Г				
ı	- C C C C C C C C C C C C - C	ı,	20			
ĭ.	C 10 10 10 10 10 10 10 10 10 10 10 10 10	П	Г	İ		
l		8	22	l		
E	TODO de PACE I TO COM					Chicago
						.00









saaga/as

New 25 Oil contagg no

	٩	





260	SOURCE STREET ST	PLANTA OF ORDERSTOND OR ORALL PROPERTY.	i	mazan.	386	AND AND
12	socialis see epitematico		Ĭ	-	10 11 10 10 10 10 10 10 10 10 10 10 10 1	
	RECALQUE					į
r	\$1910 Octo \$ 1 1/2"		12.	92		
1				L		
1	Registry de gavata con conca d	8 F080A Ø 1 1/2*	ř.	92		
			I			
1	Syche de redação con vosos d	3" x 1 1/2"	8	2		
۲	CHITTE BED THE POSSES O	-social deligibility been accer-				
			ß.	5		
L			L			
ľ	Válvala de retenção horizontal com	TORGE # 1"	£	2		
L			L		L	
ľ	Darlivação ES x conca gla 8 3"		£	2		
L						
"	Carre 86° 88 # 3"		ď.	2		
L			L			
L			L			
L			L			
L			L			
					2	000032

( E E E E E E F F F A

- 1	ш	- 1			П	- 1		ш	- 1		1	П			*	2	
			Metajio PPC con acques medites # 3" x 2"	CONTRACTOR OF CONTRACTOR	MAN & OF COMMON	75 - 3.3 stm, becase 5.0 x 5.5mg.	Marketing Characteristics Sec. 0 = 3-88/Ch-		As a Alifa I'm consciousts I de	Salda para opportor de 3 e 1º (CARRO)		Pubo PAC engare metático 8 2º (CMERO)		Pubo PVC organe mendijen # 3" (Cammo)	pagement on standar	DO ESTADO DE CONTRACTOR DE CON	EQUIPMENTO PRACETAR - SETOR CONCIO
			E.	Ц	3	8	1	Ш	i.	1	L	ŧ	L	ē	å	i	17.72
						1			ŭ	12		11			-	SHEETWA	man canon
															0.001.000	ľ	
00															200	9810Q838	
0000-4															10000	open/traces	



	201.00	4				
200	on Children description of the state of the	i	N N N N N N N N N N N N N N N N N N N		NAVOORNI NAV	STRUCTHBED TRA
1		ŀ	-		18 191 1/1919	
	returning on martin	1	2000	-	10,000	1000
	SECULOS SECU	L				
		L				
5	Kipte duplo 8 1 1/2"	£	£			
_		L				
	Bariatio de garego con como a 1 1/2"	î.	83			
4		L				
-	Basha da redação com romem 8 3" x 1 1/2"	8	63			
_		L				
-	Curve so cam come a diggosinive para escer-	L				
4		Ĺ	01			
		L				
4	Wilmile de recenção harigment com romos é l'	L	s			
-		L				
~	Pertuando de a rollos pira de 3"	3				
-						
2	Corre 10° ER & 3°	٤	2	I		
_						
						0 000





¥#







.76.	Separate by stocker	1		
-	Tubo PVC sea spante répido meditico 8 3"	900	200	
		1	2	
	DELL'ANDRE DANC COM sendes chings in the K 2-	-		
		1		
	Derivação POC com salda filme # 3" a 4"	8		
		I		١
-	Cap and/or com esquite meniation 8 3"	1.		. 1
	Cap eaths com events modified & 2"	8		
T				
Γ		1		
		I		
Г		I		
		1		
Γ		1		1
T				1
Τ		1		
				П
T				
(		İ		

11	- 1	1	١	1	14	-		-	ıŀ	1	1-1	- 1	١,	ı,	1	۲	8	
					madelo de Per con spinte medicio è l' a l'	Cap sache Fec # 2" (OAGE)	76 - 2.5 acms begain 5.0 x 3/2mm	Appearance of contraction follows a second file	1000	1	Salida para aspector de 3 x 1º (CBRO)		1990 NV com sample souther may 3/4 column	١	SECTION OF THE PROPERTY OF THE PARTY OF THE	DOCUMENTS OF STREETS	OF COMPANY OF RECORDS ABOVE OF PLANTING OF DECOMESSINGS OF CHARD	BELLEVI CONCER - SECURE
t	t	H		Н	1	g.	1	+	t	g.	1	t	500		2412	Ì	- 8	2000
	T		Ī			F	-		Ī	11	8		162		-	3950400	TREEDING NO.	SECON CONCR MINISTER
ľ	t					Ī	١	T			Ī					-	1	
0	1															10,000	99/00/00	
000000																1000	0000073861	